

# CERTIFICATE OF ANALYSIS

## HUMAN ANALYTE DEPLETED SERUM

### T3/T4 Free Processed Serum

**Product code:** SF231-7

**Batch No:** 169-156

**Product presentation:** Single homogenous batch, T3/T4 depleted, filtered through a 0.2µm membrane and frozen below -15°C.

**Starting material:** Serum from delipidated, defibrinated plasma. Starting material donor tested and found negative for HIV I & II antibodies, Hepatitis B surface antigen, and Hepatitis C antibodies.

**Storage:** Store below -15°C, shelf life minimum 1 year.

<u>Analysis</u>	<u>Specifications</u>		<u>Results</u>	
Total Thyroxine (T4) level as determined by RIA.	< 20	nmol/L.	< 3.21	nmol/L.
Total Triiodothyronine (T3) as determined by AxSYM.	< 1.0	nmol/L.	< 0.0046	nmol/L.
Free Thyroxine (T4) level as determined by TOSOH.	< 1.0	pmol/L.	0.7	pmol/L.
Free Triiodothyronine (T3) as determined by TOSOH.	< 5.0	pmol/L.	0.5	pmol/L.

**Position:** ..... **Name:**.....

**Signed:** ..... **Date:** ..... **Order No:**.....